



Advanced Laboratories®, Inc.

"Unconventional by Design"

FDA Registration #3006423386

40 West Louise Ave., Salt Lake City, UT 84115

Phone: (801) 485-1800 Fax: (801) 484-9211

Email: utlab@advancedlabsinc.com

Test Certificate

Sample Description: FI-sample #105hyd
Sample Lot Number: 041007-09
Sample Part Code:
Location:
PO No: 01252010/Pd CK# 5796 \$830
Received Date: 3/1/10 12:53
Completed Date: 3/17/2010
Lab Comments:

Client Name: Mineral Logic
and Address: Attn: Accounts Payable
8100 Oakland Drive
Kalamazoo, MI 49001
Lab No: 49345-02

Analysis	Result	Per Unit	Method
Fulvic Acid	58,000	ppm	Custom
Humic Acid	4,700	ppm	Custom

THESE RESULTS ARE ASSIGNED ONLY TO THE SAMPLE SUBMITTED NOT TO THE PRODUCT IT WAS TAKEN FROM.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM THE LABORATORY.

Results Approved By: Shane Shupe
Shane Shupe

Dated: 3/17/2010